


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1. (Original) A compound of formula I



in free or salt form, where

Ar is phenyl optionally substituted by one or more substituents selected from halogen, C₁-C₈-alkyl, cyano or nitro;

R¹ is hydrogen or C₁-C₈-alkyl optionally substituted by hydroxy, C₁-C₈-alkoxy, acyloxy, halogen, carboxy, C₁-C₈-alkoxycarbonyl, -N(R⁴)R⁵, -CON(R⁶)R⁷ or by a monovalent cyclic organic group having 3 to 15 atoms in the ring system;

R² is hydrogen, C₁-C₈-alkyl or C₃-C₁₀-cycloalkyl and R³ is C₁-C₈-alkyl substituted by phenyl, phenoxy, acyloxy or naphthyl, or R³ is C₃-C₁₀-cycloalkyl optionally having a benzo group fused thereto, a heterocyclic group having 5 to 11 ring atoms of which 1 to 4 are hetero atoms, phenyl or naphthyl, said phenyl, phenoxy or naphthyl groups being optionally substituted by one or more substituents selected from halogen, cyano, hydroxy, acyl, nitro, -SO₂NH₂, C₁-C₈-alkyl optionally substituted by C₁-C₈-alkoxy, C₁-C₈-haloalkyl, C₁-C₈-alkoxy, C₁-C₈-haloalkoxy, C₁-C₈-alkylthio, -SO₂-C₁-C₈-alkyl, C₁-C₈-alkoxycarbonyl, C₁-C₈-acylamino optionally substituted on the nitrogen atom by C₁-C₈-alkyl, C₁-C₈-alkylamino, aminocarbonyl, C₁-C₈-alkylamino-carbonyl, di(C₁-C₈-alkyl)amino, di(C₁-C₈-alkyl)aminocarbonyl, di(C₁-C₈-alkyl)aminocarbonyl-methoxy, or R² and R³ together with the nitrogen atom to which they are attached denote a heterocyclic group having 5 to 10 ring atoms of which 1, 2 or 3 are hetero atoms;

R⁴ and R⁵ are each independently hydrogen or C₁-C₈-alkyl, or R⁴ is hydrogen and R⁵ is hydroxy-C₁-C₈-alkyl, acyl, -SO₂R⁸ or -CON(R⁶)R⁷, or R⁴ and R⁵ together with the nitrogen atom to which they are attached denote a 5- or 6-membered heterocyclic group;

R⁶ and R⁷ are each independently hydrogen or C₁-C₈-alkyl, or R⁶ and R⁷ together with the nitrogen atom to which they are attached denote a 5- or 6-membered heterocyclic group;

R⁸ is C₁-C₈-alkyl, C₁-C₈-haloalkyl, or phenyl optionally substituted by C₁-C₈-alkyl;

X is -C(=O)-, -O-, -CH₂-, or CH(OH);

Y is oxygen or sulfur;

m is 1, 2, 3 or 4; and

n, p and q are each 0 or 1, n+p+q=1 or 2, n+q=1, p+q=1, and when n is 0, p is 0.

Claim 2. (Original) A compound according to claim 1, in which

Ar is phenyl substituted by one or two substituents selected from halogen and C₁-C₈-alkyl;

R¹ is hydrogen, C₁-C₄-alkyl optionally substituted by hydroxy or C₁-C₈-alkoxy, acyloxy, C₁-C₈-alkyl substituted by benzoyloxy or phenoxy-C₁-C₄-alkylcarbonyloxy which are optionally substituted in the benzene ring by at least one substituent selected from C₁-C₈-alkoxy, C₁-C₈-alkylcarbonyl and aminosulfonyl, or C₁-C₈-alkyl substituted by naphthyl;

R² is hydrogen or C₁-C₈-alkyl, and R³ is C₁-C₈-alkyl substituted by phenyl or phenoxy, or C₁-C₈-alkyl substituted by benzoyloxy or phenoxy-C₁-C₈-alkylcarbonyloxy which are optionally substituted in the benzene ring by at least one substituent selected from C₁-C₈-alkoxy, C₁-C₈-alkylcarbonyl and aminosulfonyl, or C₁-C₈-alkyl substituted by naphthyl, or R³ is C₃-C₈-cycloalkyl optionally having a benzo group fused thereto, a heterocyclic group having 5 to 11 ring atoms of which one or two are hetero atoms, selected from nitrogen, oxygen or sulfur, or phenyl, benzyl or naphthyl, said phenyl, phenoxy and naphthyl groups being optionally substituted by one, two or three substituents selected from halogen, cyano, nitro, hydroxy, C₁-C₈-alkoxy, C₁-C₈-haloalkoxy, C₁-C₈-alkyl, C₁-C₈-alkylcarbonyl, C₁-C₈-alkylthio, di(C₁-C₈-alkyl)amino or C₁-C₈-alkylcarbonylamino,

or R² and R³, together with the nitrogen atom to which they are attached, denote a heterocyclic group having a N-heterocyclic ring optionally fused to a benzene ring;

X is -O-, -C(=O)- or -CH₂-;

Y is oxygen or sulfur; and

m is 1, 2, 3 or 4.

Claim 3. (Original) A compound according to claim 1, in which

Ar is phenyl substituted by one or two substituents selected from halogen and C₁-C₄-alkyl;

R¹ is hydrogen, C₁-C₄-alkyl optionally substituted by hydroxy or C₁-C₄-alkoxy, acyloxy, C₁-C₄-alkyl substituted by benzoyloxy or phenoxy-C₁-C₄-alkylcarbonyloxy which are optionally substituted in the benzene ring by at least one substituent selected from C₁-C₄-alkoxy, C₁-C₄-alkylcarbonyl and aminosulfonyl, or C₁-C₄-alkyl substituted by naphthyl;

R² is hydrogen or C₁-C₄-alkyl, and R³ is C₁-C₄-alkyl substituted by phenyl or phenoxy, or C₁-C₄-alkyl substituted by benzoyloxy or phenoxy-C₁-C₄-alkylcarbonyloxy which are optionally substituted in the benzene ring by at least one substituent selected from C₁-C₄-alkoxy, C₁-C₄-alkylcarbonyl and aminosulfonyl, or C₁-C₄-alkyl substituted by naphthyl, or R³ is C₅-C₈-cycloalkyl optionally having a benzo group fused thereto, a heterocyclic group having 5 to 11 ring atoms of which one or two are hetero atoms, selected from nitrogen, oxygen or sulfur, or phenyl, benzyl or naphthyl, said phenyl, phenoxy and naphthyl groups being optionally substituted by one, two or three substituents selected from halogen, cyano, nitro, hydroxy, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkyl, C₁-C₄-alkylcarbonyl, C₁-C₄-alkylthio, di(C₁-C₄-alkyl)amino or C₁-C₄-alkylcarbonylamino,


or R² and R³, together with the nitrogen atom to which they are attached, denote a heterocyclic group having a N-heterocyclic ring optionally fused to a benzene ring;

X is -O-, -C(=O)- or -CH₂-;

Y is oxygen or sulfur; and

m is 1, 2, 3 or 4.

Claim 4. (Original) A compound according to claim 1, which is of formula II



where

Ar is phenyl substituted by one or two substituents selected from fluorine and chlorine, one of said substituents being para to the indicated group X,


R¹ is hydrogen, C₁-C₄-alkyl substituted by hydroxy or C₁-C₄-alkoxy, C₁-C₄-alkyl substituted by benzoyloxy or phenoxy-C₁-C₄-alkylcarbonyloxy which are optionally substituted in the benzene ring by at least one substituent selected from C₁-C₄-alkoxy, C₁-C₄-alkylcarbonyl and aminosulfonyl, or C₁-C₄-alkyl substituted by naphthyl,

R³ is phenyl substituted by one, two or three substituents selected from halogen, cyano, di(C₁-C₄-alkyl)amino, C₁-C₄-alkylcarbonylamino, C₁-C₄-alkoxy, or R³ is naphthyl optionally substituted by fluorine, or R³ is C₁-C₄-alkyl substituted by phenoxy which is optionally substituted by one or two substituents selected from halogen, cyano, C₁-C₄-alkyl, C₁-C₄-alkoxy or C₁-C₄-alkylcarbonyl, or R³ is C₁-C₄-alkyl substituted by benzoyloxy or phenoxy-C₁-C₄-alkylcarbonyloxy which are optionally substituted in the benzene ring by at least one substituent selected from C₁-C₄-alkoxy, C₁-C₄-alkylcarbonyl and aminosulfonyl, or R³ is a heterocyclic group having a 5- or 6-membered heterocyclic ring in which one or two ring atoms are hetero atoms selected from nitrogen, oxygen and sulfur optionally fused to a benzene ring which is optionally substituted by one or two substituents selected from halogen, C₁-C₄-alkoxy and C₁-C₄-alkylcarbonyl,

X is -O-, and

m is 2 or 3.

Claim 5. (Original) A compound according to claim 1, which is of formula III



where

Ar is phenyl substituted by one or two substituents selected from fluorine and chlorine, one of said substituents being para to the indicated group X,

R¹ is hydrogen, C₁-C₄-alkyl substituted by hydroxy or C₁-C₄-alkoxy,

R^2 is hydrogen or C_1 - C_4 -alkyl and R^3 is C_5 - C_9 -cycloalkyl, a heterocyclic group having 5 to 11 ring atoms of which one or two are nitrogen or oxygen atoms, phenyl optionally substituted by one, two or three substituents selected from fluorine, chlorine, hydroxy, nitro, C_1 - C_4 -alkyl, C_1 - C_4 -alkylcarbonyl or C_1 - C_4 -alkoxy, phenyl- C_1 - C_4 -alkyl substituted in the phenyl group by one or two substituents selected from halogen and C_1 - C_4 -alkyl, C_1 - C_4 -alkyl substituted by naphthyl, or C_5 - C_6 -cycloalkyl having a benzo group fused thereto, or R^2 and R^3 together with the nitrogen atom to which they are attached denote a heterocyclic group having a 6-membered N-heterocyclic ring fused to a benzene ring which is optionally substituted by up to 2 C_1 - C_4 -alkoxy groups, X is $-O-$ or $-C(=O)-$, and m is 2 or 3.

Claim 6. (Original) A compound according to claim 1, which is also of formula III, where Ar is phenyl substituted by chlorine para to the indicated group X and optionally also substituted by chlorine meta to the indicated group X ,

R^1 is hydrogen or C_1 - C_4 -alkyl substituted by hydroxy, C_1 - C_4 -alkoxy or C_1 - C_4 -acyloxy,


R^2 is hydrogen,

R^3 is a heterocyclic group having 5 to 11 ring atoms of which 1 to 4 are hetero atoms selected from nitrogen, oxygen and sulphur or atoms, or R^3 is phenyl optionally substituted by one, two or three substituents selected from halogen, cyano, C_1 - C_4 -alkyl optionally substituted by C_1 - C_4 -alkoxy, C_3 - C_6 -cycloalkyl, C_1 - C_4 -alkoxy, C_1 - C_4 -alkoxycarbonyl, (C_1 - C_4 -alkyl)amino-carbonyl, di(C_1 - C_4 -alkyl)aminocarbonyl, aminocarbonyl, $-SO_2NH_2$, $-SO_2$ - C_1 - C_4 -alkyl and C_1 - C_4 -acylamino optionally substituted on the nitrogen atom by C_1 - C_4 -alkyl,

X is $-O-$, $-CH_2-$ or $-C(=O)-$, and

m is 2.

Claim 7. (Original) A compound according to claim 1, which is also of formula IIIa



where

Ar is phenyl optionally substituted by fluoro or chloro para to the indicated group X and/or optionally substituted by fluoro, chloro or C_1 - C_4 -alkyl meta to the indicated group X;

R^1 is hydrogen or C_1 - C_4 -alkyl optionally substituted by hydroxy;

R^2 is hydrogen or C_1 - C_4 -alkyl;

R^3 is C_3 - C_6 -cycloalkyl, or R^3 is a heterocyclic group having 5 to 11 ring atoms of which 1 to 4 are hetero atoms selected from nitrogen, oxygen and sulphur or atoms, preferably a heterocyclic ring having 5 atoms of which 1 to 4 are heteroatoms selected from nitrogen, oxygen and sulphur


substituted by one or two substituents selected from C₁-C₄-alkyl and C₃-C₆-cycloalkyl, or R³ is phenyl substituted by C₁-C₄-alkoxy;

X is -O-, -CH₂- or -C(=O)-;

Y is O or S; and

m is 1 or 2.

Claim 8. (Original) A compound according to claim 1, which is of formula IV



where

Ar is phenyl substituted by one or two substituents selected from fluorine and chlorine, one of said substituents being para to the indicated group X,

R¹ is hydrogen or C₁-C₄-alkyl substituted by hydroxy or C₁-C₄-alkoxy,

R³ is phenyl optionally substituted by halogen, C₁-C₄-alkyl or cyano, or R³ is an aromatic N- or S-heterocyclic group having 5 to 10 ring atoms, or R³ is phenyl-C₁-C₄-alkyl,

X is -O- and

m is 2 or 3.

Claim 9. (Original) A compound according to claim 1, where

Ar is phenyl optionally substituted by one or more substituents selected from halogen,

C₁-C₈-alkyl, cyano or nitro,

R¹ is hydrogen or C₁-C₈-alkyl optionally substituted by hydroxy, C₁-C₈-alkoxy, acyloxy, halogen, carboxy, C₁-C₈-alkoxycarbonyl, -N(R⁴)R⁵, -CON(R⁶)R⁷ or by a monovalent cyclic organic group having 3 to 15 atoms in the ring system,

R² is hydrogen or C₁-C₈-alkyl and R³ is C₁-C₈-alkyl substituted by phenyl, phenoxy, acyloxy or naphthyl, or R³ is C₃-C₁₀-cycloalkyl optionally having a benzo group fused thereto, a heterocyclic group having 5 to 11 ring atoms of which 1 to 4 are hetero atoms, phenyl or naphthyl, said phenyl, phenoxy or naphthyl groups being optionally substituted by one or more substituents selected from halogen, cyano, hydroxy, acyl, nitro, -SO₂NH₂, C₁-C₈-alkyl optionally substituted by C₁-C₈-alkoxy, C₁-C₈-haloalkyl, C₁-C₈-alkoxy, C₁-C₈-haloalkoxy, C₁-C₈-alkylthio, -SO₂-C₁-C₈-alkyl, C₁-C₈-alkoxycarbonyl, C₁-C₈-acylamino optionally substituted on the nitrogen atom by C₁-C₈-alkyl, C₁-C₈-alkylamino, aminocarbonyl, C₁-C₈-alkylamino-carbonyl, di(C₁-C₈-alkyl)amino, di(C₁-C₈-alkyl)aminocarbonyl, di(C₁-C₈-alkyl)aminocarbonyl-methoxy, or R² and R³ together with the nitrogen atom to which they are attached denote a heterocyclic group having 5 to 10 ring atoms of which 1, 2 or 3 are hetero atoms,


R^4 and R^5 are each independently hydrogen or C_1 - C_8 -alkyl, or R^4 is hydrogen and R^5 is hydroxy- C_1 - C_8 -alkyl, acyl, $-SO_2R^8$ or $-CON(R^6)R^7$, or R^4 and R^5 together with the nitrogen atom to which they are attached denote a 5- or 6-membered heterocyclic group,
 R^6 and R^7 are each independently hydrogen or C_1 - C_8 -alkyl, or R^6 and R^7 together with the nitrogen atom to which they are attached denote a 5- or 6-membered heterocyclic group,
 R^8 is C_1 - C_8 -alkyl, C_1 - C_8 -haloalkyl, or phenyl optionally substituted by C_1 - C_8 -alkyl,
 X is $-C(=O)-$, $-O-$, $-CH_2-$, or $CH(OH)$,
 Y is oxygen or sulfur,
 m is 1, 2, 3 or 4, and
 n , p and q are each 0 or 1, $n+p+q=1$ or 2, $n+q=1$, $p+q=1$, and when n is 0, p is 0.

Claim 10. (Original) A compound according to claim 1, where
























Ar is phenyl optionally substituted by one or more substituents selected from halogen, C_1 - C_8 -alkyl, cyano or nitro,
 R^1 is hydrogen or C_1 - C_8 -alkyl optionally substituted by hydroxy, C_1 - C_8 -alkoxy, acyloxy, halogen, carboxy, C_1 - C_8 -alkoxycarbonyl, $-N(R^4)R^5$, $-CON(R^6)R^7$ or by a monovalent cyclic organic group having 3 to 15 atoms in the ring system,
 R^2 is hydrogen or C_1 - C_8 -alkyl and R^3 is C_1 - C_8 -alkyl substituted by phenyl, phenoxy, acyloxy or naphthyl, or R^3 is C_3 - C_{10} -cycloalkyl optionally having a benzo group fused thereto, a heterocyclic group having 5 to 11 ring atoms of which 1 to 4 are hetero atoms, phenyl or naphthyl, said phenyl, phenoxy or naphthyl groups being optionally substituted by one or more substituents selected from halogen, cyano, hydroxy, acyl, nitro, C_1 - C_8 -alkyl, C_1 - C_8 -haloalkyl, C_1 - C_8 -alkoxy, C_1 - C_8 -haloalkoxy, C_1 - C_8 -alkylthio, C_1 - C_8 -alkoxycarbonyl, acylamino, C_1 - C_8 -alkylamino, di(C_1 - C_8 -alkyl)amino or di(C_1 - C_8 -alkyl)aminocarbonylmethoxy, or R^2 and R^3 together with the nitrogen atom to which they are attached denote a heterocyclic group having 5 to 10 ring atoms of which 1, 2 or 3 are hetero atoms,
 R^4 and R^5 are each independently hydrogen or C_1 - C_8 -alkyl, or R^4 is hydrogen and R^5 is hydroxy- C_1 - C_8 -alkyl, acyl, $-SO_2R^8$ or $-CON(R^6)R^7$, or R^4 and R^5 together with the nitrogen atom to which they are attached denote a 5- or 6-membered heterocyclic group,
 R^6 and R^7 are each independently hydrogen or C_1 - C_8 -alkyl, or R^6 and R^7 together with the nitrogen atom to which they are attached denote a 5- or 6-membered heterocyclic group,
 R^8 is C_1 - C_8 -alkyl, C_1 - C_8 -haloalkyl, or phenyl optionally substituted by C_1 - C_8 -alkyl,
 X is $-C(=O)-$, $-O-$, $-CH_2-$, or $CH(OH)$,
 Y is oxygen or sulfur,
 m is 1, 2, 3 or 4, and
 n , p and q are each 0 or 1, $n+p+q=1$ or 2, $n+q=1$, $p+q=1$, and when n is 0, p is 0.























Claims 11-17. (Canceled)

Claim 18. (Previously presented) A compound according to claim 1 that is also a compound of formula II




where m is 2 and Ar, X, R¹ and R³ are as shown in the following table

























Ar	X	R ¹	R ³
	-O-		
	-O-		
	-O-		
	-O-	H	
	-O-	H	
	-O-	H	
	-C(=O)-	H	
	-O-	H	
	-O-	H	
	-O-	H	



























	-O-	H	
	-O-	H	
	-O-	H	
	-O-		
	-O-		
	-O-	H	
	-O-		
	-O-		
	-O-	H	

























Claim 19. (Previously presented) A compound of claim 1 that is also a compound of formula III




where Ar, X, m, R¹, R² and R³ are as shown in the following table

Ar	X	m	R ¹	R ²	R ³
	-O-	2	H	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	H	-H	
	-O-	2	H	-H	
	-O-	2	H	-H	
	-O-	2	H	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	H	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	H	-H	
	-O-	2	CH ₂ OH	-H	

	-O-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-C(=O)-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	H	-H	
	-C(=O)-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	H	-H	
	-O-	2	CH ₂ OH	-H	

	-O-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-C(=O)-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	CH ₂ OH	-H	
	-O-	2	H	-H	
	-O-	2	H	-CH ₃	
	-O-	2	H	-H	
	-O-	3	H	-H	


Claim 20. (Previously presented) A compound of claim 1 that is also a compound of formula



where Ar, X, m, and R¹ are as shown in the following table





Ar	X	m	R ¹
	-O-	2	H

Claim 21. (Previously presented) A compound of claim 1 that is also of a compound of formula IV




where m is 2, X is O, R¹ is hydrogen, and Ar and R³ are as shown in the following table
























Ar	R ³















































Claim 22. (Previously presented) A compound of claim 1 that is also a compound of formula III






















































































where m is 2, R² is hydrogen, and Ar, X, R¹ and R² are as shown in the following table

Ar	X	R ¹	R ³
	-O-		
	-O-		
	-O-	-H	
	-CH ₂ -		
	-CH ₂ -		
	-CH ₂ -		
	-CH ₂ -		
	-CH ₂ -		


	-CH ₂ -		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-CH ₂ -		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		

	-O-		
	-O-		
	-O-		
			
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		































	-O-		
	-O-		
	-O-		
	-CH ₂ -		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
			
	-O-		








































	-O-		
	-O-		
	-O-		
	-O-		
			
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		
	-O-		





















































Claim 23. (Previously presented) A compound of claim 1 that is also a compound of formula IIIa












































































































where Ar, X, m, R¹, Y, R² and R³ are as shown in the following table























Ar	X	m	R ¹	Y	R ²	R ³
	-O-	1		O	H	
	-O-	2		O	-CH ₃	
	-O-	2		S	H	
	-O-	2		S	H	
	-O-	2		S	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	

	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	

	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	

		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	
		2		O	H	

	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
		2		O	H	
		2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-CH ₂ -	2		O	H	
	-CH ₂ -	2		O	H	
		2		O	H	
		2		O	H	
	-CH ₂ -	2	H	O	H	
	-CH ₂ -	2	-CH ₃	O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	

	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2		O	H	
	-O-	2	H	O	H	
	-O-	2	H	O	H	
	-O-	2		O	H	
	-O-	2		O	H	

Claim 24. (Previously presented) A pharmaceutical composition comprising as active ingredient a compound of formula I as defined in claim 1.


Claim 25. (Previously presented) A pharmaceutical composition comprising a compound of formula I as defined in claim 1 in combination with another drug substance which is an anti-inflammatory, a bronchodilator or an antihistamine.

Claim 26. (Withdrawn) A method of treating a condition mediated by CCR-3 in a subject in need of such treatment, which comprises administering to said subject an effective amount of a compound of formula I as defined in claim 1 in free form or in the form of a pharmaceutically acceptable salt.


Claim 27. (Withdrawn) A method of treating an inflammatory or obstructive airways disease in a subject in need of such treatment, which comprises administering to said subject an effective amount of a compound of formula I as defined in claim 1 in free form or in the form of a pharmaceutically acceptable salt.

Claim 28. (Withdrawn) A process for the preparation of a compound of formula I as defined in claim 1 which comprises

(i) (A) for the preparation of compounds of formula I where n is 1, p is 1, q is 0 and R² is hydrogen, reacting a compound of formula V




where Ar, X, m and R¹ are as defined in claim 1, with a compound of formula VI




where Y and R³ are as defined in claim 1, with the proviso that when R¹ contains a reactive functional group it may be in protected form, and, where R¹ in the product contains a protected functional group, replacing the protecting group by hydrogen;

(B) for the preparation of compounds of formula I where n is 1, p is 1, q is 0 and R² is hydrogen or C₁-C₈-alkyl, reacting a compound of formula VII



where Ar, X, m and R¹ are as defined in claim 1, with a compound of formula VIII




where R² and R³ are as defined in claim 1, or and, where R¹ in the product contains a protected functional group, replacing the protecting group by hydrogen;

(C) for the preparation of compounds of formula I where n is 1, p is 1, q is 0 and R² and R³ together with the nitrogen atom to which they are attached denote a heterocyclic group, reacting a compound of formula IX




where Ar and X are as defined in claim 1, with a compound of formula X




where m, R¹ and Y are as defined in claim 1, R² and R³ together with the nitrogen atom to which they are attached denote a heterocyclic group having 5 to 10 ring atoms of which one, two or three are hetero atoms, and L is halogen;

(D) for the preparation of compounds of formula I when n is 1, p is 0, q is 0 and Y is oxygen, reacting a compound of formula IX where Ar and X are as defined in claim 1, with a compound of formula XI




where L, m, R¹ and R³ are as defined in claim 1;

(E) for the preparation of compounds of formula I where n is 1, p is 0, q is 0 and Y is oxygen, reacting a compound of formula V where Ar, X, m and R¹ are as defined in claim 1, with a compound of formula XII




where R³ is as defined in claim 1, and, where R¹ in the product contains a protected functional group, replacing the protecting group by hydrogen;

(F) for the preparation of compounds of formula I where n is 1, p is 0, q is 0, R² is hydrogen and Y is oxygen, reacting a compound of formula V where Ar, X, m and R¹ are as defined in claim 1, with a compound of formula XIII




where R³ is as defined in claim 1, and, where R¹ in the product contains a protected functional group, replacing the protecting group by hydrogen;

(G) for the preparation of compounds of formula I where n is 0, p is 0, and q is 1, reacting a compound of formula IX where Ar and X are as defined in claim 1 in the form of a hydrohalide salt with a compound of formula XIV




where L, m, R¹ and R³ are as defined in claim 1;

(H) for the preparation of compounds of formula I where n is 1, p is 1, q is 0 and Y is oxygen, reacting a compound of formula V where Ar, X, m and R¹ are as defined in claim 1, with a compound of formula XV



where R² and R³ are as defined in claim 1; or

(I) for the preparation of compounds of formula I where n is 1, p is 0, q is 0, Y is oxygen and R² is C₁-C₈-alkyl or C₃-C₁₀-cycloalkyl, reacting a compound of formula V where Ar, X, m and R¹ are as defined in claim 1, with a compound of formula XVI



where R² is C₁-C₈-alkyl or C₃-C₁₀-cycloalkyl, R³ is as defined in claim 1 and Z is a halogen, with the proviso that when R¹ contains a reactive functional group it may be in protected form, and, where R¹ in the product contains a protected functional group, replacing the protecting group by hydrogen; and

(ii) recovering the product in free or salt form.